ANALYTICA CHIMICA ACTA, VOL. 194 (1987)

AUTHOR INDEX

Abe, H.
—, Yoshimura, T., Kanaya, S., Takahashi, Y., Miyashita, Y. and Sasaki, S.-I.
Automated odor-sensing system based on plural semiconductor gas sensors and computerized pattern recognition techniques 1

Bäckström, K., see Nord, L. 221
Betteridge, D., see Crowe, C. D. 49
Britz, D.
— and Thomsen, K.
Electrochemical digital simulation: re-evaluation of the Crank-Nicolson scheme 317
Bryant, R. G., see Polnaszek, C. F. 311
Busch, K. L., see Stanley, M. S. 199
Bushee, D. S.
—, Krull, I. S., Smith, S. B. Jr. and Schleicher, R. G.
Determination of organolead compounds by liquid chromatography with on-line extraction and ultraviolet detection 235

Cabezudo, M. D., see Sanz, J. 91
Carr, P. W., see Polnaszek, C. F. 311
Chadjilazarou, C., see De Marco, R. 189
Chang, C. A.
—, Ji, H., Wu, Q., Eastman, M. P. and Lai, S.-T.
Use of cyclodextrin-bonded phases for liquid chromatographic separation of styrene polymers 287
Crowe, C. D.
—, Levin, H. W., Betteridge, D. and Wade, A. P.
A random-walk simulation of flow-injection systems with merging zones 49

Danielsson, L.-G., see Nord, L. 221
Davies, D. M.
— and Ivey, J. P.
Sulphur(IV) in rain water and Antarctic ice by ion chromatography 275
Davies, D. M., see Ivey, J. P. 281

De Marco, R.
—, Kew, D. J., Chadjilazarou, C., Owen, D. W. and Sullivan, J. V.
Precision and accuracy of quantitative emission spectrometry with particular reference to gold alloys 189

Eastman, M. P., see Chang, C. A. 287
Ebdon, L.
— and Wilkinson, J. R.
The determination of arsenic and selenium in coal by continuous flow hydride-generation atomic absorption spectrometry and atomic fluorescence spectrometry 177
Evans, J. C.
—, Olsen, K. B. and Sklarew, D. S.
A low-pressure Beenakker-type microwave-induced helium plasma source as a simultaneous multi-element gas chromatographic detector 247

Fanelli, N., see Meites, L. 151
Fateley, W. G., see Yang, C. Q. 303
Fucskó, J.
—, Tóth, K., Pungor, E., Kunovits, J. and Puxbaum, H.
Application of ion-selective electrodes in environmental analysis. Determination of acid and fluoride concentrations in rain-water with a flow-injection system 163
Fukaya, T., see Suzuki, N. 261

Golden, T., see Wang, J. 129

Hampton, M. D.
—, Peters, C. A. and Wellington, L. A.
Response of poly(vinyl chloride) electrodes based on the neutral carrier 1,4,7,10-tetraoxacyclododecane 171
Hanai, S.
— and Miyakawa, M.
Registry and search of chemical compounds on graphics display 37
Hanggi, D. A., see Polnaszek, C. F. 311

Hatzis, A.
—, Rothschild, R. and Simons, P.
Spectral simplification in proton magnetic resonance spectrometry for 3-(4-aminophenyl)-3-ethyl-2-6-piperidinedione (aminoglutethimide) with achiral and chiral lanthanide shift reagents 211
Hulanicki, A.
—, Matuszewski, W. and Trojanowicz, M.
Flow-injection determination of nitrite and nitrate with biamperometric detection at two platinum wire electrodes 119
Hulanicki, A., see Matuszewski, W. 269

Imura, H., see Suzuki, N. 261
Ingman, F., see Nord, L. 221
Ivey, J. P., see Davies, D. M. 275
— and Davies, D. M.
Ion chromatographic determination of selected ions in Antarctic ice 281
Ivey, J. P.

Janata, J., see Locascio, L. E. 99
Ji, H., see Chang, C. A. 287

Kanaya, S., see Abe, H. 1
Karlberg, B., see Nord, L. 221
Kew, D. J., see De Marco, R. 189
Kimura, K., see Oue, M. 293
Kolev, S. D.
— and Pungor, E.
Numerical solution of hydraulic models based on the axially-dispersed plug flow model by Laplace transforms 61
Kraak, J. C., see Laevan, J. M. 11
Krull, I. S., see Bushee, D. S. 235
Kunovits, J., see Fucskó, J. 163

Laevan, J. M.
—, Smit, H. C. and Kraak, J. C.
Differential cross-correlation high-performance liquid chromatography, a method of establishing small concentration differences in samples of similar origin 11
Lai, S.-T., see Chang, C. A. 287
Lampugnani, L.
—, Meites, L., Papoff, P. and Rotunno, T.
A program for evaluating equilibrium constants from spectrophotometric data by non-linear regression analysis 77
Leclerc, D. F.
—, Smith, C. J. and Toren, E. C. Jr.
Axial dispersion in coiled tubular reactors. The effect of curvature at low Dean numbers 109
Levin, H. W., see Crowe, C. D. 49
Locascio, L. E.
— and Janata, J.
Integrated system for potentiometric stripping determinations 99

Marco, R., De, see De Marco, R. 189
Martínez-Castro, I., see Sanz, J. 91
Matuszewski, W., see Hulanicki, A. 119
Matuszewski, W.
—, Hulanicki, A. and Trojanowicz, M.
Flow-injection single-point titration of acids with biamperometric detection at polarized platinum electrodes 269
Meites, L., see Lampugnani, L. 77
Meites, L.
— and Fanelli, N.
Factors affecting the precision of a new method for determining the reduced and oxidized forms of a redox couple by a single potentiometric titration 151
Miyakawa, M., see Hanai, S. 37
Miyashita, Y., see Abe, H. 1

Nelson, A.
Penetration of mercury-adsorbed phospholipid monolayers by polynuclear aromatic hydrocarbons 139
Nord, L.
—, Bäckström, K., Danielsson, L.-G., Ingman, F. and Karlberg, B.
Extraction rate in liquid-liquid segmented flow injection analysis 221

Olsen, K. B., see Evans, J. C. 247
Oue, M.
—, Kimura, K. and Shono, T.
Liquid-liquid extraction of silver ion with benzothiacrown ether derivatives 293
Owen, D. W., see De Marco, R. 189

Palrecha, M. M.
—, Parthasarathy, R. and Sankar Das, M.
A modified method for the determination of lead in zircons by differential-pulse anodic stripping voltammetry 299
Papoff, P., see Lampugnani, L. 77
Parthasarathy, R., see Palrecha, M. M. 299
Peters, C. A., see Hampton, M. D. 171

Pijpers, F. W., see Ruyken, M. M. A. 25
Polnaszek, C. F.
—, Hanggi, D. A., Carr, P. W. and Bryant, R. G.
Nuclear magnetic relaxation dispersion measurement of water mobility at a silica surface 311
Pungor, E., see Fucakó, J. 163
Pungor, E., see Kolev, S. D. 61

Reglero, G., see Sanz, J. 91
Rothschild, R., see Hatzis, A. 211
Rotunno, T., see Lampugnani, L. 77
Ruyken, M. M. A.
— and Pijpers, F. W.
Identification of oil spills in harbours by means of pattern recognition 25

Sankar Das, M., see Palrecha, M. M. 299
Sanz, J.
—, Martínez-Castro, I., Reglero, G. and Cabezudo, M. D.
Prediction of the separation in gas chromatography. Application to the analysis of mixtures with mixed stationary phases and temperature programming 91
Sasaki, S.-I., see Abe, H. 1
Sass, S., see Yurow, H. W. 323
Schleicher, R. G., see Bushee, D. S. 235
Shono, T., see Oue, M. 293
Simons, P., see Hatzis, A. 211
Sklarew, D. S., see Evans, J. C. 247
Smit, H. C., see Laevan, J. M. 11
Smith, C. J., see Leclerc, D. F. 109
Smith, S. B. Jr., see Bushee, D. S. 235
Stanley, M. S.
— and Busch, K. L.
Positive secondary-ion mass spectra and thin-layer chromatography/mass spectrometry of phenothiazine drugs 199
Sullivan, J. V., see De Marco, R. 189
Suzuki, N.
—, Fukaya, T. and Imura, H.
Substoichiometric isotope-dilution analysis for strontium by liquid-liquid extraction with a macrocyclic crown ether or cryptand 261

Takahashi, Y., see Abe, H. 1
Thomsen, K., see Britz, D. 317
Toren, E. C. Jr., see Leclerc, D. F. 109
Tóth, K., see Fucskó, J. 163
Trojanowicz, M., see Hulanicki, A. 119
Trojanowicz, M., see Matuszewski, W. 269
Tuzhi, P., see Wang, J. 129

Wade, A. P., see Crowe, C. D. 49
Wang, J.
—, Tuzhi, P. and Golden, T.
Amperometric detection of cationic neurotransmitters at Nafion-coated glassy carbon electrodes in flow streams 129
Wellington, L. A., see Hampton, M. D. 171
Wilkinson, J. R., see Ebdon, L. 177
Wu, Q., see Chang, C. A. 287

Yang, C. Q.
— and Fateley, W. G.
Fourier-transform infrared photoacoustic spectroscopy evaluated for near-surface characterization of polymeric materials 303
Yoshimura, T., see Abe, H. 1
Yurow, H. W.
— and Sass, S.
Analytical reactions of isomeric methoxycycloheptatrienes 323

CONTENTS

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

Computer Methods and Applications

Automated odor-sensing system based on plural semiconductor gas sensors and computerized pattern recognition techniques
H. Abe, T. Yoshimura, S. Kanaya, Y. Takahashi, Y. Miyashita and S.-I. Sasaki (Toyohashi, Japan) 1

Differential cross-correlation high-performance liquid chromatography, a method of establishing small concentration differences in samples of similar origin
J. M. Laevan, H. C. Smit and J. C. Kraak (Amsterdam, The Netherlands) 11

Identification of oil spills in harbours by means of pattern recognition
M. M. A. Ruyken and F. W. Pijpers (Nijmegen, The Netherlands) 25

Registry and search of chemical compounds on graphics display
S. Hanai and M. Miyakawa (Kanagawa, Japan) 37

A random-walk simulation of flow-injection systems with merging zones
C. D. Crowe, H. W. Levin (Wilmington, DE, U.S.A.), D. Betteridge and A. P. Wade (Sunbury-on-Thames, Gt. Britain) 49

Numerical solution of hydraulic models based on the axially-dispersed plug flow model by Laplace transforms
S. D. Kolev and E. Pungor (Budapest, Hungary) 61

A program for evaluating equilibrium constants from spectrophotometric data by non-linear regression analysis
L. Lampugnani, L. Meites, P. Papoff and T. Rotunno (Pisa, Italy) 77

Prediction of the separation in gas chromatography. Application to the analysis of mixtures with mixed stationary phases and temperature programming
J. Sanz, I. Martínez-Castro, G. Reglero and M. D. Cabezudo (Madrid, Spain) 91

Electrometric Methods

Integrated system for potentiometric stripping determinations
L. E. Locascio and J. Janata (Salt Lake City, UT, U.S.A.) 99

Axial dispersion in coiled tubular reactors. The effect of curvature at low Dean numbers
D. F. Leclerc, C. J. Smith and E. C. Toren, Jr. (Mobile, AL, U.S.A.) 109

Flow-injection determination of nitrite and nitrate with biamperometric detection at two platinum wire electrodes
A. Hulanicki, W. Matuszewski and M. Trojanowicz (Warsaw, Poland) 119

Amperometric detection of cationic neurotransmitters at Nafion-coated glassy carbon electrodes in flow streams
J. Wang, P. Tuzhi and T. Golden (Las Cruces, NM, U.S.A.) 129

Penetration of mercury-adsorbed phospholipid monolayers by polynuclear aromatic hydrocarbons
A. Nelson (Plymouth, Gt. Britain) 139

Factors affecting the precision of a new method for determining the reduced and oxidized forms of a redox couple by a single potentiometric titration
L. Meites and N. Fanelli (Pisa, Italy) 151

Application of ion-selective electrodes in environmental analysis. Determination of acid and fluoride concentrations in rain-water with a flow-injection system
J. Fucskó, K. Tóth, E. Pungor, J. Kunovits (Budapest, Hungary) and H. Puxbaum (Vienna, Austria) 163

Response of poly(vinyl chloride) electrodes based on the neutral carrier 1,4,7,10-tetraoxacyclododecane
M. D. Hampton, C. A. Peters and L. A. Wellington (Orlando, FL, U.S.A.). 171

Spectrometric Methods

The determination of arsenic and selenium in coal by continuous flow hydride-generation atomic absorption spectrometry and atomic fluorescence spectrometry
L. Ebdon and J. R. Wilkinson (Plymouth, Gt. Britain) 177

Precision and accuracy of quantitative emission spectrometry with particular reference to gold alloys
R. De Marco, D. J. Kew (Melbourne, Vic., Australia), C. Chadjilazarou, D. W. Owen (Thomastown, Vic., Australia) and J. V. Sullivan (Clayton, Vic., Australia) 189
Positive secondary-ion mass spectra and thin-layer chromatography/mass spectrometry of phenothiazine drugs
M. S. Stanley and K. L. Busch (Bloomington, IN, U.S.A.) 199
Spectral simplification in proton magnetic resonance spectrometry for 3-(4-aminophenyl)-3-ethyl-2,6-piperidinedione (aminoglutethimide) with achiral and chiral lanthanide shift reagents
A. Hatzis, R. Rothchild and P. Simons (New York, NY, U.S.A.) 211

Separations
Extraction rate in liquid-liquid segmented flow injection analysis
L. Nord, K. Bäckström, L.-G. Danielsson, F. Ingman (Stockholm, Sweden) and B. Karlberg (Sollentuna, Sweden) 221
Determination of organolead compounds by liquid chromatography with on-line extraction and ultraviolet detection
D. S. Bushee, I. S. Krull (Boston, MA, U.S.A.), S. B. Smith, Jr. and R. G. Schleicher (Waltham, MA, U.S.A.) 235
A low-pressure Beenakker-type microwave-induced helium plasma source as a simultaneous multi-element gas chromatographic detector
J. C. Evans, K. B. Olsen and D. S. Sklarew (Richland, WA, U.S.A.) 247
Substoichiometric isotope-dilution analysis for strontium by liquid-liquid extraction with a macrocyclic crown ether or cryptand
N. Suzuki, T. Fukaya and H. Imura (Sendai, Japan) 261

Short Communications
Flow-injection single-point titration of acids with biamperometric detection at polarized platinum electrodes
W. Matuszewski, A. Hulanicki and M. Trojanowicz (Warsaw, Poland) 269
Sulphur(IV) in rain water and Antarctic ice by ion chromatography
D. M. Davies (Mordialloc, Vic., Australia) and J. P. Ivey (Kingston, Tas., Australia) 275
Ion chromatographic determination of selected ions in Antarctic ice
J. P. Ivey (Kingston, Tas., Australia) and D. M. Davies (Mordialloc, Vic., Australia) 281
Use of cyclodextrin-bonded phases for liquid chromatographic separation of styrene polymers
C. A. Chang, H. Ji, Q. Wu, M. P. Eastman (El Paso, TX, U.S.A.) and S.-T. Lai (Irvine, CA, U.S.A.) 287
Liquid-liquid extraction of silver ion with benzothiacrown ether derivatives
M. Oue (Nara, Japan), K. Kimura and T. Shono (Osaka, Japan) 293
A modified method for the determination of lead in zircons by differential-pulse anodic stripping voltammetry
M. M. Palrecha, R. Parthasarathy and M. Sankar Das (Bombay, India) 299
Fourier-transform infrared photoacoustic spectroscopy evaluated for near-surface characterization of polymeric materials
C. Q. Yang and W. G. Fateley (Manhattan, KS, U.S.A.) 303
Nuclear magnetic relaxation dispersion measurement of water mobility at a silica surface
C. F. Polnaszek, D. A. Hanggi, P. W. Carr (Minneapolis, MN, U.S.A.) and R. G. Bryant (Rochester, NY, U.S.A.) 311
Electrochemical digital simulation: re-evaluation of the Crank-Nicolson scheme
D. Britz and K. Thomsen (Aarhus, Denmark) 317
Analytical reactions of isomeric methoxycycloheptatrienes
H. W. Yurow and S. Sass (Aberdeen, MD, U.S.A.) 323

Book Reviews 329

Erratum 339

Author Index 341